

# MISCELLANEOUS PAPERS

\*\*\*\*\*

Centre for Entomological Studies Ankara

\*\*\*\*\*

No 107/108

20 01 2007

ISSN 1015-8235

## Synonymical and distributional List of the species of Ağrı Province (North East Turkey) (Lepidoptera)<sup>1</sup>

Muhabbet Kemal Ahmet Ömer Koçak

**Abstract:** Kemal, M. & A.Ö.Koçak, Synonymical and distributional List of the species of Ağrı Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 107/108: 1-12.

This paper deals with the Lepidoptera species hitherto recorded in the Ağrı Province in the North East Turkey. Totally 441 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

**Key Words:** *Lepidoptera*, fauna, checklist, Turkey, Ağrı Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Ağrı. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 441 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes<sup>2</sup>.

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.<sup>3</sup>

- 1) **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. 04 08 14 16 25 30 36 43 73 75
- 2) **Chelis reticulata (Christoph,1887)** (Arctiidae) *reticulata* Christoph,1887 04 07 24 25 30 36 42 49 58 60 65
- 3) **Lithosia quadra (Linnaeus,1758)** (Arctiidae) *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877. 04 08 14 28 36 53 60 61 75
- 4) **Ocnogyna (Somatotrichia) anatolica Witt,1980** (Arctiidae) *anatolica* Witt,1980 04 24 25 49 65
- 5) **Phragmatobia placida (Frigg,1835)** (Arctiidae) *placida* Frivaldsky,1835 04 05 06 23 30 32 33 36 42 43 46 60 65
- 6) **Tyria jacobaeae (Linnaeus,1758)** (Arctiidae) *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. 04 05 06 07 16 19 25 30 36 48 65 71
- 7) **Aglais urticae (Linnaeus,1758)** (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 8) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 9) **Argynnis (Pandoriana) pandora (Denis & Schiffermüller,1775)** (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 10) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 11) **Cynthia cardui (Linnaeus,1758)** (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schöyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16

<sup>1</sup> This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

<sup>2</sup> The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

<sup>3</sup> see also Priamus 11 (5), 11 (6)

- 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60  
61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 12) **Euphydryas (Hypodryas) iduna (Dalman,1816)** (Argynnidiae) *iduna Dalman,1816* 04
- 13) **Issoria lathonia (Linnaeus,1758)** (Argynnidiae) *lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16  
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66  
67 69 70 71 73 74 76 77 80 81
- 14) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidiae) *#phoebe [Denis & Schiffermüller],1775; phoebe Goeze,1779; paedotropos Bergsträßer,[1780]; tremulae Piller & Mitterpacher,1783.* 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34  
36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 15) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidiae) *didyma Esper,[1779]; armoricana Oberthür,1909.* 01 02 03 04 05  
06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50  
51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 16) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidiae) *cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.* 01 02 03 04  
05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61  
62 65 66 69 70 71 73 74 76 80
- 17) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidiae) *egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932.* 01 02 04 05 06 07  
08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73  
76 78
- 18) **Coleophora agridensis Baldizzone,2001** (Coleophoridae) *agridensis Baldizzone,2001* 04
- 19) **Coleophora astragalella Zeller,1849** (Coleophoridae) *astragalella Zeller,1849; fimbriosella Herrich-Schäffer,1861; plusiella Constant,1865; persimilis Rebel,1904* 04 05 06 16 42 50 58
- 20) **Coleophora cartilaginella Christoph,1872** (Coleophoridae) *cartilaginella Christoph,1872; dubiosa Toll,1952; paraspumosella Toll,1957; medicagivora Toll,1961.* 04 05 06 12 23 38 42 51 71
- 21) **Coleophora gaviaepennella Toll,1952** (Coleophoridae) *gaviaepennella Toll,1952* 04 53 58
- 22) **Coleophora karakurti Baldizzone,1994** (Coleophoridae) *karakurti Baldizzone,1994* 04
- 23) **Coleophora obtectella Zeller,1849** (Coleophoridae) *obtectella Zeller,1849* 04 06 13 25 29 42 50 53 58
- 24) **Coleophora tabelli Baldizzone,2001** (Coleophoridae) *tabelli Baldizzone,2001* 04
- 25) **Coleophora univittella Staudinger,1880** (Coleophoridae) *univittella Staudinger,1880* 04 06 13 29 32 38 42 44 45 50 53 58 70
- 26) **Vulcaniella caucasica Sinev,1986** (Cosmopterigidae) *caucasica Sinev,1986* 04
- 27) **Cossulinus lignosus (Brandt,1938)** (Cossidae) *lignosus Brandt,1938* 04 12 25 30 36 42 46 49 50 58 68 69
- 28) **Dyspessa salicicola (Eversmann,1848)** (Cossidae) *salicicola Eversmann,1848* 04 06 17 22 33 36 39 76
- 29) **Phragmataecia castaneae (Hübner,1790)** (Cossidae) *castaneae Hübner,1790; arundinis Hübner,[1808]; minor Moore,1879; pygmaea Graeser,1888; minima Hampson,1891* 04 36 42 46
- 30) **Aplocera obsitaria (Lederer,1853)** (Geometridae) *obsitaria Lederer,1853; pseudopallidata Bytinski-Salz & Brandt,1937* 04 05 21 42  
46 47 58 62 65 76
- 31) **Eupithecia fuscicostata Christoph,1887** (Geometridae) *fuscicostata Christoph,1887; fuscostigma Alpheraky,1892; salami Brandt,1938; domogledana Vojnits & Szabo,1988* 04 07 25 30 60
- 32) **Eupithecia gueneata Millièrre,1862** (Geometridae) *gueneata Millièrre,1862; busambraria Ragusa,1889* 04 30
- 33) **Eupithecia mekrana Brandt,1941** (Geometridae) *mekrana Brandt,1941; commenticia Vojnits,1982; idonea Vojnits,1982; stulta Vojnits,1982.* 04 36
- 34) **Eupithecia variostrigata Alpheraky,1876** (Geometridae) *variostrigata Alpheraky,1876; littorata Constant,1884; artemesiata Constant,1884* 04 16 71
- 35) **Ochodontia adustaria Fischer de Waldheim,1840** (Geometridae) *adustaria Fischer de Waldheim,1840; sareptanaria Freyer,1841* 04 24
- 36) **Scopula beckeraria (Lederer,1853)** (Geometridae) *beckeraria Lederer,1853* 01 04 05 06 07 24 30 42 47 58 63 65 71
- 37) **Carcharodus (s.str.) alcaeae (Esper,[1780])** (Hesperiidae) *alcaeae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustalis Verity,1924; corsicus Picard,1948.* 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26  
27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 38) **Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) *marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849].* 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65  
66 70 71 73 76
- 39) **Hesperia comma (Linnaeus,1758)** (Hesperiidae) *comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928.* 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 40) **Pyrgus alveus (Hübner,[1803])** (Hesperiidae) *alveus Hübner,[1803]; alticolus Rebel,1910; ryffelenis Oberthür,1910; claralveus Verity,1934; confusa Renner,1991; germanica Renner,1991.* 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 41) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus Oberthür,1910; petheri Romei,1927.* 01 02 03 04 05 06 07 08 09  
12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74  
76
- 42) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis Duponchel,[1834]; hypoleucos Lederer,1853; jordana Hemming,1932.* 01  
02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69  
70 71 73 81
- 43) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae Rambur,[1839]; caecus Freyer,1846; occidentalis Lucas,1910 nec Skinn.,1906; planorum Verity,1925; magnagallica Verity,1931; plurisignata Silbernagel,1946; arvernensis Picard,1948.* 01 03 04 05  
06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 44) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae Esper,[1784]* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30  
32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 45) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer Hübner,[1823]; tesselloides Herrich-Schäffer,[1845].* 01 02 03  
04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50  
51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 46) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis Herrich-Schäffer,[1845]; eupator Hemming,1932; kiki Higgins,1974.* 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75  
76
- 47) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934* 01 02 03 04 05

- 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65  
66 69 70 71 73 74 75 76 80
- 48) **Thymelicus novus** (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916 04 05 13 21 23 25 30 46 47 56 62 65 73
- 49) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15  
16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66  
67 69 70 71 72 73 74 76 81
- 50) **Lasiocampa eversmanni** (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 51) **Malacosoma castrensis** (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38  
42 53 58 60 65 71
- 52) **Malacosoma paralellum** Staudinger,1887 (Lasiocampidae) *paralellum* Staudinger,1887 04 24 25 36 58
- 53) **Poecilocampa alpina** (Frey & Wulschlegel,1874) (Lasiocampidae) *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999. 04  
06 24 25
- 54) **Lemonia ballioni** (Christoph,1888) (Lemoniidae) *ballioni* Christoph,1888 01 04 05 13 23 25 44 46 50 56 58 70
- 55) **Lemonia pia** Püngeler,1902 (Lemoniidae) *pia* Püngeler,1902 01 04 07 21 25 30 36 44 46 56 58 73 76
- 56) **Callophrys suaveola** (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881 04 13 25 30 36 58 65 73
- 57) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50  
51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 58) **Glaucopteryx (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; #*ironi* Coutis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23  
24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 59) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acrior* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39  
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 60) **Heodes (s.str.) virgaureae** (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62  
65 66 69 75 76
- 61) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedius* Borkhausen,1788; #*baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05  
06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63  
64 65 70 71 72 73 76
- 62) **Lycaena (s.str.) phlaeas** (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24  
25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74  
76 81
- 63) **Maculinea arion** (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 64) **Maculinea nausithous** (Bergsträßer,[1779]) (Lycaenidae) *nausithous* Bergsträßer,[1779]; *arcas* Rottemburg,1775 *nec* Dru.,1773; *erebus* Knoch,1782. 04 08 24 25 36 69 75 76
- 65) **Palaeochrysophanus candens** (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16  
18 24 25 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 66) **Phoenicurus phoenicurus** (Lederer,1870) (Lycaenidae) *phoenicurus* Lederer,1870. 04 36 76
- 67) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].  
01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65  
66 69 70 71 72 73 74 76
- 68) **Plebejus (Kretania) iranica** (Forster,1938) (Lycaenidae) *iranica* Forster,1938 04
- 69) **Plebejus (Lycaeides) idas** (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 70) **Plebejus (Plebejides) modicus** Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08  
12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71  
72 73 75 76
- 71) **Plebejus (s.str.) argus** (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39  
41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 72) **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval,1840) (Lycaenidae) *pyrenaicus* Boisduval,1840; #*pyrenicus* Naderi,2003  
04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 73) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; #*robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12  
13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 74) **Polyommatus (Aricia (Pseudoaricia)) isauricus** (Staudinger,1871) (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35  
36 38 42 44 46 51 58 62 76
- 75) **Polyommatus (Aricia (s.str.)) agestis** (Denis & Schiffermüller,1775) (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09  
10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58  
60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 76) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii** (Forster,1956) (Lycaenidae) *firdussii* Forster,1956 01 03 04 08 24 25 29 30  
31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 77) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis** (Zerny,1932) (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Danichenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66  
78) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi** (Pfeiffer,1938) (Lycaenidae) *demavendi* Pfeiffer,1938; #*demavendi* de Lesse,1960 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 79) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus** (Rebel,1901) (Lycaenidae) *antidolus* Rebel,1901 04 12 13 25 30 62 65  
76
- 80) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas** (Freyer,[1837]) (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; #*amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50  
51 55 58 60 62 65 66 68 69 70 71 74

- 81) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.* 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 82) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri Forster,1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 83) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) *baytopi De Lesse,1959* 04 13 30 65 76
- 84) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia Herrich-Schäffer,[1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 85) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae) *tankeri De Lesse,1960* 04 25 36 69 76
- 86) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 87) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans (Forster,1956)** (Lycaenidae) *altivagans Forster,1956; vaspurakani Lukhtanov & Dantchenko,2003* 04 08 24 29 36 65 76
- 88) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) huberti (Carbonell,1993)** (Lycaenidae) *huberti Carbonell,1993* 04 08 13 24 25 29 30 36 65 69 76
- 89) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) ninae (Forster,1956)** (Lycaenidae) *ninae Forster,1956* 04 08 13 24 25 29 30 36 65 69 76
- 90) **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 91) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon [Denis & Schiffermüller],1775* 04 08 24 25 29 36 69 75 76
- 92) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis Freyer,[1842]; mesopotamica Tutt,[1909].* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 93) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; anteaerentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958* 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 94) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius Herrich-Schäffer,[1852]* 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 95) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 96) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 97) **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) *diana Miller,[1913]* 04 25 29 36 69 76
- 98) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 99) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 100) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851;* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 101) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 102) **Satyrion (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) *armenum Rebel,1901* 04 08 13 24 25 30 36 49 62 65 69 76
- 103) **Satyrion (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 104) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 105) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].* 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 106) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 107) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.* 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 108) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis Klug,1834.* 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 109) **Tomares romanovi (Christoph,1882)** (Lycaenidae) *romanovi Christoph,1882* 04 12 13 23 30 36 47 62 65 73 76
- 110) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion Freyer,[1850]* 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 111) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 112) **Stigmella atricapitella (Haworth,1828)** (Nepticulidae) *atricapitella Haworth,1828; discrepans Sorhagen,1922* 01 04 33
- 113) **Stigmella dorsiguttella (Johansson,1971)** (Nepticulidae) *dorsiguttella Johansson,1971* 04
- 114) **Stigmella samiatella (Zeller,1839)** (Nepticulidae) *samiatella Zeller,1839* 04 05 06 16 29 30 42 51
- 115) **Stigmella trojana Z.Lastuvka & A.Lastuvka,1998** (Nepticulidae) *trojana Z.Lastuvka & A.Lastuvka,1998* 04
- 116) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) *clarissa Staudinger,1900* 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66



- 117) **Abrostola triplasia** (Linnaeus,1758) (Noctuidae) *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. 04 05 08 13 16 18 25 31 36 37 38 39 53 75
- 118) **Acronicta (Subacronicta) megacephala** (Fabricius,1787) (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 119) **Acronicta (Viminia) auricoma** (Fabricius,1787) (Noctuidae) *auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 04 08 16 28 30 36 69
- 120) **Agrochola (Alpichola) egorovi** (O.Bang-Haas,1934) (Noctuidae) *egorovi* O.Bang-Haas,1934 01 04 12 25 30 36 44 46 56 58 60 65 69 73
- 121) **Agrochola (Alpichola) janhillmanni** Hacker & Moberg,1989 (Noctuidae) *janhillmanni* Hacker & Moberg,1989 04 08 12 13 25 30 36 49 62
- 122) **Agrochola (Alpichola) lactiflora** (Draudt,1934) (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 123) **Agrotis (s.str.) cinerea** ([Denis & Schiffermüller],1775) (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephрина* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 124) **Agrotis (s.str.) desertorum** Boisduval,1840 (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 125) **Agrotis (s.str.) exclamationis** (Linnaeus,1758) (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 126) **Antarchaea numisma** (Hübner,[1803]) (Noctuidae) *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. 01 04 05 06 07 18 19 33 38 42 50 70
- 127) **Antitype jonis** (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 128) **Apamea anceps** ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66
- 129) **Apamea crenata** (Hufnagel,1766) (Noctuidae) *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopecurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812. 04 14 18 36 43 53 65 69 75
- 130) **Apamea epomidion** (Haworth,1809) (Noctuidae) *charactera* auct. *nec* [Denis & Schiff.],1775; *epomidion* Haworth,1809 04 13 65
- 131) **Apamea ferrago** (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 132) **Apamea furva** ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65
- 133) **Apamea lateritia** (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. 04 08 16 24 25 30 36 51 58 61 65 75
- 134) **Apamea leucodon** (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 135) **Apamea lithoxyla** (Fabricius,1787) (Noctuidae) *#lithoxyla* [Denis & Schiffermüller],1775; *lithoxyla* Fabricius,1787. 01 04 05 06 07 08 16 20 25 30 36
- 136) **Apamea monoglypha** (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 137) **Apamea oblonga** (Haworth,[1809]) (Noctuidae) *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813]. 04 06 14 40 50 58 65
- 138) **Apamea remissa** (Hübner,[1809]) (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 139) **Apamea sublustris** (Esper,[1788]) (Noctuidae) *sublustris* Esper,[1788] 04 08 25 36 50
- 140) **Apamea syriaca** (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 141) **Argyrospila succinea** (Esper,[1798]) (Noctuidae) *succinea* Esper,[1798] 04 13 25 42
- 142) **Athetis pallustris** (Hübner,[1808]) (Noctuidae) *pallustris* Hübner,[1808] 04 28 36 75
- 143) **Autographa aemula** ([Denis & Schiffermüller],1775) (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69 75
- 144) **Autographa gamma** (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 145) **Autophila (Cheirophanes) plattneri** Boursin,1955 (Noctuidae) *plattneri* Boursin,1955 04 30 58
- 146) **Autophila (s.str.) banghaasi** Boursin,1940 (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 147) **Autophila (s.str.) hirsuta** (Staudinger,1870) (Noctuidae) *hirsuta* Staudinger,1870 04 30 58 69
- 148) **Autophila (s.str.) libanotica** (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962. 04 06 12 08 24 30 38 42 46 51 58 65
- 149) **Basistriga flammata** ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 150) **Brandtina albonigra** Bytinski-Salz & Brandt,1937 (Noctuidae) *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967 04 25 30 65
- 151) **Calamia staudingeri** Warnecke,1941 (Noctuidae) *staudingeri* Warnecke,1941 04 25 30 36 38 51 58 65
- 152) **Calophasia lunula** (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14 18 24 25 30 33 36 42 49 50 51 58 65
- 153) **Caradrina (Boursinidrina) rjabovi** (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 04 13 25 36 44 46 58 62 65
- 154) **Caradrina (Eremodrina) avis** (Pinker,1980) (Noctuidae) *avis* Pinker,1980 04 46 51 58
- 155) **Caradrina (Eremodrina) draudti** (Boursin,1936) (Noctuidae) *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940 04 06 08 13 23 30 38 42 44 51 63 65
- 156) **Caradrina (Eremodrina) gilva** (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58
- 157) **Caradrina (Eremodrina) inumbrata** (Staudinger,1900) (Noctuidae) *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 01 04 08 25 36 44 46 58 62 65
- 158) **Caradrina (Eremodrina) pertinax** (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 159) **Caradrina (Eremodrina) salzi** (Boursin,1936) (Noctuidae) *salzi* Boursin,1936 04 13 21 23 24 30 36 44 51 62 70
- 160) **Caradrina (Eremodrina) vicina** (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06 08 25 33 36 42 46 50 51 58
- 161) **Caradrina (Paradrina) abruzzensis** (Draudt,1933) (Noctuidae) *abruzzensis* Draudt,1933 04 50
- 162) **Caradrina (Paradrina) poecila** (Boursin,1939) (Noctuidae) *poecila* Boursin,1939 01 04 08 12 24 25 30 32 38 49 50 58 60 65 69 73

- 163) *Caradrina (Platyperigea) albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 164) *Caradrina (Platyperigea) montana* (Bremer,1861) (Noctuidae) *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 04 25 36 42 50 51 58 65
- 165) *Caradrina (Platyperigea) terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12 13 18 23 25 30 36 42 50 51 65 66
- 166) *Cardepija sociabilis* (Graslin,1850) (Noctuidae) *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986. 01 04 06 35 38 42 44 51 63 76
- 167) *Cerapteryx megalis* (Alpheraky,1882) (Noctuidae) *megalis* Alpheraky,1882. 04 08 25 65 75
- 168) *Chersotis alpestris* (Boisduval,[1837]) (Noctuidae) *alpestris* Boisduval,[1837] 04 12 25 29 36 42 51 58 65
- 169) *Chersotis anatolica* (Draudt,1936) (Noctuidae) *anatolica* Draudt,1936; *elegantula* Boursin,1945. 04 24 25 36 42 50 51 58 60 65
- 170) *Chersotis anderegii* (Boisduval,[1837]) (Noctuidae) *anderegii* Boisduval,[1837] 04 08 25 36
- 171) *Chersotis fimbriola* (Esper,[1798]) (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 172) *Chersotis glebosa* (Staudinger,1900) (Noctuidae) *glebosa* Staudinger,1900 04 12 25 25 30 38 46 58 60 65 69
- 173) *Chersotis gratissima* (Corti,1932) (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 174) *Chersotis illaeta* (Draudt,1936) (Noctuidae) *illaeta* Draudt,1936 04 12 25 42 46 50 51 65 70
- 175) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 176) *Chersotis laeta* (Rebel,1904) (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 177) *Chersotis larixia* (Guenée,1852) (Noctuidae) *larixia* Guenée,1852. 04 12 25 30 38 50 51 58 65 69
- 178) *Chersotis multangula* (Hübner,[1803]) (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulesschikov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66
- 179) *Chersotis semna* (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 180) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 181) *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *unata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 182) *Cryphia (Bryoleuca) petrea* (Guenée,1852) (Noctuidae) *petrea* Guenée,1852 01 04 07 13 30 33 42 46 66
- 183) *Cryphia (Bryoleuca) petricolor* (Lederer,1870) (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *solimana* Draudt,1937. 04 08 18 25 29 36 58 75
- 184) *Cryphia (Bryoleuca) maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 185) *Cucullia (Shargacucullia) armena* G.Ronkay & L.Ronkay,1986 (Noctuidae) *armena* G.Ronkay & L.Ronkay,1986 04 24 65
- 186) *Cucullia (Shargacucullia) barthae* Boursin,1933 (Noctuidae) *barthae* Boursin,1933 04 06 08 18 25 32 33 42 46 47 50 60 65
- 187) *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 188) *Cucullia (Shargacucullia) lychnitis* (Rambur,1833) (Noctuidae) *lychnitis* Rambur,1833 04 05 06 14 18 24 25 35 45 58 65
- 189) *Cucullia (Shargacucullia) verbasci* (Linnaeus,1758) (Noctuidae) *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. 04 05 06 07 09 15 16 17 18 20 31 33 35 45 50 65
- 190) *Cucullia (s.str.) absinthii* (Linnaeus,1761) (Noctuidae) *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857 04 25 58
- 191) *Cucullia (s.str.) behouneki* Hacker & Ronkay,1988 (Noctuidae) *behouneki* Hacker & Ronkay,1988 04 08 24 25 28 30 36 58 60 65 66 75
- 192) *Cucullia (s.str.) cineracea* Freyer,1841 (Noctuidae) *cineracea* Freyer,1841 04 36
- 193) *Cucullia (s.str.) ronkayi* Hacker & Pinker,1987 (Noctuidae) *ronkayi* Hacker & Pinker,1987 04 25 36 49 65
- 194) *Cucullia (s.str.) santonici* (Hübner,[1813]) (Noctuidae) *santonici* Hübner,[1813] 04 06 18 25 36 42 58
- 195) *Dasypolia (Dasymixis) diva* L.Ronkay & Varga,1990 (Noctuidae) *diva* L.Ronkay & Varga,1990 04
- 196) *Dasypolia (s.str.) altissima* Hacker & Moberg,1988 (Noctuidae) *altissima* Hacker & Moberg,1988 04 65
- 197) *Dasypolia (s.str.) templi* (Thunberg,1792) (Noctuidae) *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909. 01 06 04 08 25 42 49 58
- 198) *Dasypolia (s.str.) vera* L.Ronkay & Szaboky,1995 (Noctuidae) *vera* L.Ronkay & Szaboky,1995 04 23 24
- 199) *Desertoplusia bella* (Christoph,1887) (Noctuidae) *bella* Christoph,1887 04 12 25 30 50 65
- 200) *Desertoplusia colornata* Varga & L.Ronkay,1991 (Noctuidae) *bella* auct. *nec* Chr.,1887; *colornata* Varga & L.Ronkay,1991; *colornata* Hacker,1992 04 07 25 30 65 73
- 201) *Diarsia florida* (Schmidt,1859) (Noctuidae) *florida* Schmidt,1859 04 25 65
- 202) *Diarsia mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 203) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 204) *Dichagyris (Yigoga) celsicola* (Bellier,1858) (Noctuidae) *celsicola* Bellier,1858 04 08 12 13 23 25 30 36 46 50 58 65
- 205) *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65 66
- 206) *Dichagyris (Yigoga) gracilis* (F.Wagner,1929) (Noctuidae) *gracilis* F.Wagner,1929 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 207) *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. 01 04 07 36 38 42 50 51 58 62 65
- 208) *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *jurata* Strand,1915; *karsholti* Fibiger,1990. 04 13 23 25 30 32 38 42 50 51 58 63 66 76
- 209) *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae) *sincera* De Freina & Hacker,1985. 04 08 12 13 23 25 30 36 46 50 58 65 73
- 210) *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae) *truculenta* Lederer,1853 04 25 38 46 50 51 58 62 65 69
- 211) *Dichagyris (s.str.) amoena* (Staudinger,1892) (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04 05 08 18 23 25 27 42 46 50 58 62 65 69

- 212) **Dichagyris (s.str.) armeniaca** Kozhantshikov,1929 (Noctuidae) *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929. 04 06 25 30 36 50 66
- 213) **Dichagyris (s.str.) forficula** (Eversmann,1851) (Noctuidae) *forficula* Eversmann,1851 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 214) **Dichagyris (s.str.) melanura** (Kollar,1846) (Noctuidae) *melanura* Kollar,1846 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 215) **Dichagyris (s.str.) renigera** (Hübner,[1808]) (Noctuidae) *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. 04 05 06 08 18 25 30 36 42 50 51 58 62 65 69
- 216) **Dichagyris (s.str.) squalorum** (Eversmann,1856) (Noctuidae) *squalorum* Eversmann,1856 01 02 04 12 23 24 25 30 36 44 50 51 58 65 69
- 217) **Dichagyris (s.str.) terminicincta** (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. 02 04 12 13 25 30 36 44 46 51 58 65 69
- 218) **Drasteria cailino** (Lefèbvre,1827) (Noctuidae) *cailino* Lefèbvre,1827 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 219) **Drasteria flexuosa** (Ménétriés,1848) (Noctuidae) *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881. 04 05 21 23 36 63
- 220) **Drasteria saisani** (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#saisani* John,1910. 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 221) **Earias vernana** (Fabricius,1787) (Noctuidae) *vernana* Fabricius,1787; *obliterata* Bartel,1914 04 07 38
- 222) **Egira anatolica** (Hering,1933) (Noctuidae) *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966 04 06 13 31 24 50 67
- 223) **Eicomorpha antiqua** Staudinger,1888 (Noctuidae) *antiqua* Staudinger,1888. 04 25 49
- 224) **Emmelia trabealis** (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 225) **Episema didymogramma** (Boursin,1955) (Noctuidae) *didymogramma* Boursin,1955 04 21 25 36 46 58 63
- 226) **Episema glaucina** (Esper,[1789]) (Noctuidae) *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929. 04 05 25 75
- 227) **Episema lederi** Christoph,1885 (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65
- 228) **Eriopygodes imbecilla** (Fabricius,1794) (Noctuidae) *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816. 04 25 36 75
- 229) **Eublemma (Glossodice) polygramma** (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 230) **Eublemma (albida-gr.) compuncta** (Lederer,1872) (Noctuidae) *compuncta* Lederer,1872; *aftob* Brandt,1938. 04
- 231) **Eublemma (albida-gr.) hansa** (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851] 01 04 23 30 36 46 50 65 76
- 232) **Eublemma (albida-gr.) straminea** (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. 01 04 23 30 36 44 46 50 58 62 76
- 233) **Eublemma (candidana-gr.) aureola** Fibiger & Hacker,2002 (Noctuidae) *aureola* Fibiger & Hacker,2002 04 08 13 24 25 29 44 47 50 58 65 73
- 234) **Eublemma (candidana-gr.) wagneri** (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 235) **Eublemma (rosina-gr.) amoena** (Hübner,[1803]) (Noctuidae) *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888. 01 04 05 14 16 18 25 42 45 50 51 58 65 69
- 236) **Eublemma (rosina-gr.) pusilla** (Eversmann,1834) (Noctuidae) *pusilla* Eversmann,1834 04 76
- 237) **Euchalcia (Pseudochalcia) kitchingi** Hacker & Ronkay,1992 (Noctuidae) *kitchingi* Hacker & Ronkay,1992 04 13 30 31 65 73
- 238) **Euchalcia (s.str.) hyrcaniae** Dufay,1963 (Noctuidae) *hyrcaniae* Dufay,1963 04
- 239) **Euchalcia (s.str.) siderifera** (Eversmann,1846) (Noctuidae) *siderifera* Eversmann,1846 04 25 29 30 46 65
- 240) **Euchalcia (s.str.) taurica** (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 241) **Euchalcia (s.str.) viridis** (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 242) **Eugnorisma (s.str.) enargiaris** (Draudt,1936) (Noctuidae) *enargiaris* Draudt,1936 04 12 44 46 58
- 243) **Euxoa (Orosagrotis) difficillima** (Draudt,1937) (Noctuidae) *difficillima* Draudt,1937 04 12 25 30 36 38 51 63 65
- 244) **Euxoa (Orosagrotis) foeda** (Lederer,1855) (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 245) **Euxoa (Pleonectopoda) inclusa** Corti,1931 (Noctuidae) *inclusa* Corti,1931 04 12 24 25 30 38 51 60 65 69
- 246) **Euxoa (Pleonectopoda) rjabovi** (Kozhantshikov,1929) (Noctuidae) *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931 04 08 25 38 51 60 65 76
- 247) **Euxoa (s.str.) aquilina** ([Denis & Schiffermüller],1775) (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 248) **Euxoa (s.str.) birivia** ([Denis & Schiffermüller],1775) (Noctuidae) *birivia* [Denis & Schiffermüller],1775; *honoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932. 04 06 08 18 24 25 28 30 36 44 46 53 58
- 249) **Euxoa (s.str.) conspicua** (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdit* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 250) **Euxoa (s.str.) decora** ([Denis & Schiffermüller],1775) (Noctuidae) *decora* [Denis & Schiffermüller],1775 04 08 25 30 58 65 73
- 251) **Euxoa (s.str.) hastifera** (Donzel,1847) (Noctuidae) *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. 01 04 25 42 49 62 65 70
- 252) **Euxoa (s.str.) heringi** Christoph,1877 (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 253) **Euxoa (s.str.) homicida** (Staudinger,1900) (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 254) **Euxoa (s.str.) nigrofusca** (Esper,[1788]) (Noctuidae) *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]. 01 04 05 18 25 36 42 50 58 60
- 255) **Euxoa (s.str.) sulcifera** (Christoph,1893) (Noctuidae) *sulcifera* Christoph,1893 04 08 12 25 30 42 62 65 69 76



- 256) *Euxoa* (s.str.) *tritici* (Linnaeus,1761) (Noctuidae) *tritici* Linnaeus,1761; *pratricula* Borkhausen,1792; *domestica* Fabricius,1794; *venosus*, *pupillatus*, *pusillus* Haworth,1803; *lineolata*, *albilinea* Haworth,1809; *privigna* Püngeler,1906. 01 04 10 14 42 45 50 51 58
- 257) *Gortyna* *cervago* Eversmann,1844 (Noctuidae) *cervago* Eversmann,1844; *#argillago* Draudt,1936. 04 06 25 36 44 58 62 65 69
- 258) *Gortyna* *hethitica* Hacker,Kuhna & Gross,1986 (Noctuidae) *hethitica* Hacker,Kuhna & Gross,1986 04 25 50 60 75
- 259) *Gortyna* *moesiaca* Herrich-Schäffer,[1849] (Noctuidae) *moesiaca* Herrich-Schäffer,[1849]; *perlucida* Warren,1911. 04 06 08
- 260) *Gortyna* *osmana* Hacker & Kuhna,1986 (Noctuidae) *osmana* Hacker & Kuhna,1986 04 13 25 36 62 65 75
- 261) *Hadena* (Anepia) *esper* Hacker,1992 (Noctuidae) *esper* Hacker,1992 04 25 70
- 262) *Hadena* (Anepia) *musculina* (Staudinger,1892) (Noctuidae) *musculina* Staudinger,1892; *mayeri* Wagner,1931. 04 12 25 30 36 42 44 46 50 51 58 60 73
- 263) *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec Cr.*,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 264) *Hadena* (Anepia) *syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 265) *Hadena* (Enterpia) *laudeti* (Boisduval,1840) (Noctuidae) *laudeti* Boisduval,1840 01 04 05 30 33 35 36 42 44 46 50 51 58 60 63 65 70
- 266) *Hadena* (Enterpia) *roseocandida* Hacker,1996 (Noctuidae) *roseocandida* Hacker,1996 01 04 06 12 22 23 25 30 36 42 46 50 58
- 267) *Hadena* (Pinkerica) *tephroleuca* (Boisduval,1833) (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 268) *Hadena* (s.str.(Albimaculia)) *cavalla* Pinker,1980 (Noctuidae) *cavalla* Pinker,1980 04 24 25 30 46 49 50 58 60 65
- 269) *Hadena* (s.str.(Albimaculia)) *defreinai* Hacker, Kuhna & Gross,1986 (Noctuidae) *defreinai* Hacker, Kuhna & Gross,1986 04 24 25 65 75
- 270) *Hadena* (s.str.(Albimaculia)) *guenei* (Staudinger,1901) (Noctuidae) *guenei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 271) *Hadena* (s.str.(Albimaculia)) *humilis* (Christoph,1893) (Noctuidae) *humilis* Christoph,1893; *stenoptera* Rebel,1933. 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 272) *Hadena* (s.str.(Anatoliden)) *nebulosa* Hacker,1996 (Noctuidae) *nebulosa* Hacker,1996 04
- 273) *Hadena* (s.str.(Anatoliden)) *ronkayorum* Hacker,1996 (Noctuidae) *ronkayorum* Hacker,1996 04 30 65
- 274) *Hadena* (s.str.(Clarhadena)) *clara* (Staudinger,1901) (Noctuidae) *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938. 04 07 08 12 24 25 30 42 50 51 58 65 69
- 275) *Hadena* (s.str.(Clarhadena)) *drenowski* (Rebel,1930) (Noctuidae) *drenowski* Rebel,1930. 01 04 08 12 25 30 33 36 40 42 50 51 58
- 276) *Hadena* (s.str.(Clarhadena)) *pseudoclara* Hacker,1996 (Noctuidae) *pseudoclara* Hacker,1996 04 13 24 25 44 46 51 58 60 65
- 277) *Hadena* (s.str.(Dianthocia)) *impressa* (Esper,[1790]) (Noctuidae) *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65
- 278) *Hadena* (s.str.(Hadenobilis)) *albertii* Hacker,1996 (Noctuidae) *albertii* Hacker,1996 04 08 24 25 29 36 58 69 75
- 279) *Hadena* (s.str.(Hadenobilis)) *chrysographa* Hacker,1996 (Noctuidae) *chrysographa* Hacker,1996 04 08 25 29 36 65 75
- 280) *Hadena* (s.str.(Hadenobilis)) *melanochroa* (Staudinger,1892) (Noctuidae) *melanochroa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 281) *Hadena* (s.str.(Hadenobilis)) *tristis* (Draudt,1934) (Noctuidae) *tristis* Draudt,1934 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75
- 282) *Hadena* (s.str.(Hadenobilis)) *vulcanica* (Turati,1907) (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 283) *Hadena* (s.str.(Luteocincta)) *thecaphaga* (Draudt,1937) (Noctuidae) *thecaphaga* Draudt,1937 04 30 36 38 46 65
- 284) *Hadena* (s.str.(Magnoliaden)) *magnolii* (Boisduval,1828) (Noctuidae) *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 285) *Hadena* (s.str.(Miselia)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 286) *Hadena* (s.str.(Montanohadena)) *fibigeri* Hacker,1996 (Noctuidae) *fibigeri* Hacker,1996 04 08 13 24 25 30 38 50 51 58 65 69
- 287) *Hadena* (s.str.(Montanohadena)) *praetermissa* Hacker,1996 (Noctuidae) *praetermissa* Hacker,1996 04 25 46 65
- 288) *Hadena* (s.str.(Montanohadena)) *purpurea* Hacker,1996 (Noctuidae) *purpurea* Hacker,1996 04 25 36 38 46 51 58 65 69
- 289) *Hadena* (s.str.(Montanohadena)) *virescens* Hacker,1996 (Noctuidae) *virescens* Hacker,1996 04 06 24 25 30 33 36 50 58 60 65
- 290) *Hadena* (s.str.(Zeteolyga)) *confusa* (Hufnagel,1766) (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottenburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 291) *Hadena* (s.str.(Zeteolyga)) *pseudodealbata* Hacker,1988 (Noctuidae) *pseudodealbata* Hacker,1988 04 08 25 28 36 61 69 75
- 292) *Hadula* (Calocestra (Dianthus)) *dianthi* (Tauscher,1809) (Noctuidae) *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* Wagner,1930. 01 04 05 06 18 25 42 49 50 51 58 66 69
- 293) *Hadula* (Calocestra (Hadufurca)) *colletti* (Schneider,1876) (Noctuidae) *colletti* Schneider,1876 04 08 25 58 65 75
- 294) *Hadula* (Calocestra (Hadupugnax)) *latemarginata* (Wiltshire,1976) (Noctuidae) *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. 04 23 25 28 36 58 61 65 69
- 295) *Hadula* (Calocestra (Hadupugnax)) *pugnax* (Hübner,[1824]) (Noctuidae) *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 03 04 06 18 24 25 30 32 42 51 58
- 296) *Hadula* (Calocestra (Hadutrifolium)) *trifolii* (Hufnagel,1766) (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 297) *Hadula* (s.str. (Habulorum)) *sabulorum* (Alpheraky,1882) (Noctuidae) *sabulorum* Alpheraky,1882 04
- 298) *Hecatera* *bicolorata* (Hufnagel,1766) (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 299) *Hecatera* *spinaciae* (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 300) *Hecateoverpa* *armigera* (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 301) *Heliopsis* *nubigera* Herrich-Schäffer,[1851] (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. 01 04 07 10 18 20 25 33 35 42 46 47 50 51 58



- 302) *Heliopsis viriplaca* (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 303) *Heterophysa dumetorum* (Geyer,1834) (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 304) *Himalistra tahiricola* Ronkay & Hreblay,1994 (Noctuidae) *tahiricola* Ronkay & Hreblay,1994 04
- 305) *Hoplodrina superstes* (Ochsenheimer,1816) (Noctuidae) *superstes* Ochsenheimer,1816 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 306) *Lacanobia* (Dianobia) *histrio* (Goeze,1781) (Noctuidae) *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. 04 08 25 28 36 53 75
- 307) *Lacanobia* (s.str.) *w-latinum* (Hufnagel,1766) (Noctuidae) *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 308) *Lasionycta draudtii* (Wagner,1936) (Noctuidae) *draudtii* Wagner,1936 04 12 24 25 30 36 60 65 75 76
- 309) *Ledereragrotis multifida* (Lederer,1870) (Noctuidae) *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906 04 06 38 42 51 65
- 310) *Luperina diversa* (Staudinger,1892) (Noctuidae) *diversa* Staudinger,1892; *indistincta* Rebel,1933 01 04 05 06 12 13 18 21 55 56 58 60 62 65 66 73
- 311) *Lygephila ludicra* (Hübner,1790) (Noctuidae) *ludicra* Hübner,1790 04 05 12 13 25 65 69
- 312) *Lygephila lusoria* (Linnaeus,1758) (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 313) *Lygephila lusoria amasina* (Staudinger,1879) (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 314) *Lygephila pastinum* (Treitschke,1826) (Noctuidae) *pastinum* Treitschke,1826; *dilutior* Staudinger,1892. 04 06 25 29 36
- 315) *Lygephila subpicata* Wiltshire,1971 (Noctuidae) *subpicata* Wiltshire,1971 04 12 24 25 30 36 38 58 69
- 316) *Lygephila viciae* (Hübner,[1822]) (Noctuidae) *viciae* Hübner,[1822]; *violaceogrisea* Draudt,1950 04 25
- 317) *Melanchra pisi* (Linnaeus,1758) (Noctuidae) *psi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945. 04 13 65
- 318) *Mesapamea* (Resapamea) *hedeni* (Graeser,1888) (Noctuidae) *hedeni* Graeser,1888; *subornata* Staudinger,1896. 04 25
- 319) *Mesapamea* (s.str.) *secalis* (Linnaeus,1758) (Noctuidae) *secalis* Linnaeus,1758 04 06 07 17 30 37 39 46 50
- 320) *Mesapamea* (s.str.) *vaskeni* Varga,1979 (Noctuidae) *vaskeni* Varga,1979 04 08 25 36 75
- 321) *Metalopha ionodoxa* Ronkay,1990 (Noctuidae) *ionodoxa* Ronkay,1990 04
- 322) *Mniotype adusta* (Esper,[1790]) (Noctuidae) *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *griseocens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki 04 06 08 18 24 25 28 50 53 75
- 323) *Mythimna* (Aletia) *conigera* ([Denis & Schiffermüller],1775) (Noctuidae) *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. 04 25 36 37 45 50 58 60 61 75
- 324) *Mythimna* (Aletia) *sassanidica* (Hacker,1986) (Noctuidae) *sassanidica* Hacker,1986 04 06 08 24 25 30 36 46 58 60 65
- 325) *Mythimna* (Hypiliare) *ferrago* (Fabricius,1787) (Noctuidae) *ferrago* Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 326) *Nezonucta obtusa* Varga & Ronkay,1991 (Noctuidae) *obtusa* Varga & Ronkay,1991 04 25 30 50 58 65
- 327) *Noctua* (Latanoctua) *orbona* (Hufnagel,1766) (Noctuidae) *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 328) *Noctua* (s.str.) *pronuba* (Linnaeus,1758) (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923. 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 329) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) *durnalayana* Osthelder,1933 04 12 25 30 36 46 49 62
- 330) *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) *confusa* Freyer,[1839]. 04 25 30 36 46 50 58 62 65
- 331) *Opigena huberi* Hacker,1999 (Noctuidae) *huberi* Hacker,1999 04 25 30 42 49 60
- 332) *Opigena polygona* (Fabricius,1787) (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 333) *Orthosia* (s.str.) *incerta* (Hufnagel,1766) (Noctuidae) *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888 03 04 06 09 15 31 32 34 43 46 50 58
- 334) *Parexarnis damnata* (Draudt,1937) (Noctuidae) *damnata* Draudt,1937 04 36
- 335) *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 336) *Phleboeius sureyae* (Rebel,1931) (Noctuidae) *sureyae* Rebel,1931. 04 06 23 44 46 58 62 75
- 337) *Phlogophora scita* (Hübner,1790) (Noctuidae) *scita* Hübner,1790 04 08 12 16 25 30 43 45 53 60 61 75
- 338) *Photodes fluxa* (Hübner,[1809]) (Noctuidae) *fluxa* Hübner,[1809] 04 08 25 30 36
- 339) *Polia bombycina* (Hufnagel,1766) (Noctuidae) *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. 04 08 24 25 28 29 30 36 50 53 58 75
- 340) *Polia serratilinea* Ochsenheimer,1816 (Noctuidae) *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkerii* Varga,1974. 04 21 24 25 38 58 60
- 341) *Polymixis* (Myxinia) *perchrysa* Hacker & Ronkay,1992 (Noctuidae) *perchrysa* Hacker & Ronkay,1992 04 36
- 342) *Polymixis* (Myxinia) *philippsi* (Püngeler,1911) (Noctuidae) *philippsi* Püngeler,1911 04 13 36
- 343) *Polymixis* (s.str.) *rjabovi* (Boursin,1944) (Noctuidae) *rjabovi* Boursin,1944 04 36 73 76
- 344) *Powellinia carthalina* (Christoph,1893) (Noctuidae) *carthalina* Christoph,1893 04 06 18 25 28 36 51 60 65
- 345) *Protexarnis confinis* (Staudinger,1881) (Noctuidae) *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspiciat* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964. 04 36 46 65
- 346) *Protexarnis opisoletica* (Staudinger,1881) (Noctuidae) *opisoletica* Staudinger,1881; *inermis* Corti & Draudt,1933. 04 12 25 36 58 69
- 347) *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938. 01 04 13 23 30 36 44 46 58 62 63 65 73
- 348) *Pyrrhia treitschkii* (Frivaldsky,1835) (Noctuidae) *treitschkii* Frivaldsky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 349) *Rhyacia* (s.str.) *helvetina* (Boisduval,1833) (Noctuidae) *helvetina* Boisduval,1833; *livia* Freyer,1836 04 25 27 33 36 38 42 51 58 65 68
- 350) *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922) (Noctuidae) *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschkooff,1951; *alagesica* Boursin,1962 04 12 25 38 42 46 50 51 58 65 66

- 351) *Sideridis (Abeda) rivularis* (Fabricius,1775) (Noctuidae) *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. 04 08 09 13 14 18 23 24 28 36 49 50 65 75
- 352) *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 353) *Sideridis (s.str.) lampra* (Schawerda,1913) (Noctuidae) *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975 04 12 25 30 49 75
- 354) *Sideridis (s.str.) turbida* (Esper,[1790]) (Noctuidae) *turbida* Esper,[1790]; *albicolon* Hübner,[1813] 04 18 24 25 36 42 50 58 60 65 75
- 355) *Spaelotis demavendi* (F.Wagner,1937) (Noctuidae) *demavendi* F.Wagner,1937 04 25 36 38 68 69
- 356) *Spaelotis ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) *ravidia* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. 04 05 06 14 18 25 36 42 50 58 62 65 66 73
- 357) *Spaelotis senna* (Freyer,1829) (Noctuidae) *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 04 06 18 19 24 25 30 33 42 50 51 58 66
- 358) *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 359) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goetze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 360) *Victrix (s.str.) artaxias* Varga & Ronkay,1989 (Noctuidae) *artaxias* Varga & Ronkay,1989 04 62 65
- 361) *Victrix (s.str.) karsiana* Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879 04 06 08 25 36 44 75
- 362) *Xestia (Megasema) ashworthii* (Doubleday,1855) (Noctuidae) *ashworthii* Doubleday,1855 04 08 18 25 36 75
- 363) *Xestia (s.str.) ochreago* (Hübner,[1809]) (Noctuidae) *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. 01 04 08 25 36 58 60 75
- 364) *Xestia (s.str.) pallidago* (Staudinger,1900) (Noctuidae) *pallidago* Staudinger,1900 01 04 08 12 25 36 58 60 75
- 365) *Xylomoia apameaoides* (Hacker,1989) (Noctuidae) *apameaoides* Hacker,1989 04 30 36
- 366) *Clostera pigra* (Hufnagel,1766) (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 367) *Iphiclidea podalirius* (Linnaeus,1758) (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 368) *Parnassius (s.str.) apollo* (Linnaeus,1758) (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 369) *Anthocharis cardamines* (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 370) *Anthocharis damone* Boisduval,1836 (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 371) *Anthocharis gruneri* Herrich-Schäffer,[1851] (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 372) *Aporia (s.str.) crataegi* (Linnaeus,1758) (Pieridae) *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 373) *Colias (Eriocolias) crocea* (Fourcroy,1785) (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 374) *Colias (Eriocolias) thisoa* Ménétriés,1832 (Pieridae) *thisoa* Ménétriés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989. 04 08 25 30 36 53 65 69 73 75 76
- 375) *Colias (Neocolias) aurorina* Herrich-Schäffer,[1850] (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 376) *Colias (Neocolias) chlorocoma* Christoph,1888 (Pieridae) *chlorocoma* Christoph,1888 04 13 24 25 29 30 36 38 51 65 69 76
- 377) *Colias (s.str.) sareptensis* Staudinger,1881 (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 378) *Euchloe (s.str.) ausonia* (Hübner,[1804]) (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 379) *Gonepteryx (s.str.) rhamni* (Linnaeus,1758) (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 380) *Leptidea duponcheli* (Staudinger,1871) (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 381) *Leptidea sinapis* (Linnaeus,1758) (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyrri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 382) *Pieris (Artogeia) ergane* (Geyer,[1828]) (Pieridae) *ergane* Geyer,[1828]; *narcarea* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 383) *Pieris (Artogeia) pseudorapae* Verity,1908 (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 384) *Pieris (Artogeia) rapae* (Linnaeus,1758) (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80

- 385) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 386) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 387) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 388) **Canephora caucasica (A.Bang-Haas,1912)** (Psychidae) *caucasica* A.Bang-Haas,1921; *subgrisea* Kozhanchikov,1956. 04 08 25 30 36 58 60 65 73
- 389) **Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 390) **Catoptria laevigatella (Lederer,1870)** (Pyrilidae) *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903. 01 04 05 33 53 61 76
- 391) **Chrysocrambus linetellus (Fabricius,1781)** (Pyrilidae) *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. 04 06 42 50 53 58 65
- 392) **Microstega praepetalis (Lederer,1869)** (Pyrilidae) *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 04 05 42 46 58 65 71 76
- 393) **Pediasia persella (Toll,1947)** (Pyrilidae) *persella* Toll,1947 04 06 42 58 60
- 394) **Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. 04 06 25 27 31 38 44 50 58 65 71 76
- 395) **Saturnia (Perisomena) caecigena (Kupido,1825)** (Saturniidae) *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parviocellata* Friedel,1968 04 05 06 07 12 16 22 25 33 35 42 60 71
- 396) **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkaria* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 397) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 398) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 399) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 400) **Coenonympha glycerion (Borkhausen,1788)** (Satyridae) *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas* auctorum; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 401) **Coenonympha leander (Fabricius,1787)** (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 402) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julducisa* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 403) **Coenonympha symphita Lederer,1870** (Satyridae) *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 04 08 25 36 75 76
- 404) **Erebia iranica Groum-Grshimailo,1895** (Satyridae) *iranica* Groum-Grshimailo,1895 04
- 405) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 406) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 407) **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 408) **Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977** (Satyridae) *naricoides* Gross,1977 04 13 24 30 36 44 58 65
- 409) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 410) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 411) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 412) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 413) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 414) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]. 04 13 25 30 36 65 69 75 76
- 415) **Melanargia (Turcargia) hylata (Ménétries,1832)** (Satyridae) *hylata* Ménétries,1832 04 13 30 65
- 416) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa* Geyer,[1828]. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 417) **Pseudochazara (s.str.) heroe (Freyer,[1843])** (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 418) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 419) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76



- 420) *Pseudochazara* (s.str.) *pelopea* (Klug,1832) (Satyridae) *pelopea* Klug,1832 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53  
56 58 62 63 65 73 76
- 421) *Satyrus* (s.str.(s.str.)) *favonius* Staudinger,[1892] (Satyridae) *favonius* Staudinger,[1892] 01 04 07 08 12 13 24 25 27 31 33 36 42  
44 46 49 51 53 58 62 63 65 76
- 422) *Triphysa phryne* (Pallas,1771) (Satyridae) *phryne* Pallas,1771 04 76
- 423) *Bembecia* (Pseudosphecia) *stiziformis* (Herrich-Schäffer,1851) (Sesiidae) *stiziformis* Herrich-Schäffer,1851; *tubercula* De  
Freina,1983; *barbarossa* De Freina,1983. 01 04 05 12 13 30 36 47 49 50 65
- 424) *Bembecia parthica* (Lederer,1870) (Sesiidae) *parthica* Lederer,1870 04
- 425) *Chamaesphecia anatolica* Schwingenschuss,1938 (Sesiidae) *anatolica* Schwingenschuss,1938 04 06 25 42
- 426) *Chamaesphecia ruficoronata* Kallies, Petersen & Riefenstahl,1998 (Sesiidae) *ruficoronata* Kallies, Petersen & Riefenstahl,1998  
04 24 30 36
- 427) *Chamaesphecia schwingenschussi* (Le Cerf,1937) (Sesiidae) *schwingenschussi* Le Cerf,1937 04 36
- 428) *Chamaesphecia tahiria* Kallies & Petersen,1995 (Sesiidae) *tahiria* Kallies & Petersen,1995 04
- 429) *Chamaesphecia turbida* Le Cerf,1937 (Sesiidae) *turbida* Le Cerf,1937 04 25
- 430) *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 nec Bsd.,1840; *triannuliformis* Freyer,1845;  
*braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929;  
*ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 431) *Synanthedon andrenaeformis* (Laspeyres,1801) (Sesiidae) *andrenaeformis* Laspeyres,1801; *atlantiforme* Newman,1832;  
*andraeniformis* Westwood,1843; *andreniformis* Staudinger,1856 04 24 36
- 432) *Tinthia brosisformis* (Hübner,[1813]) (Sesiidae) *brosisformis* Hübner,[1813] 01 04 05 08 16 25 30 33 38 42 46
- 433) *Deilephila suellus* Staudinger,1878 (Sphingidae) *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. 01 04 05 06 07 12 13 19 25  
30 32 42 50 58 60 65 66 71
- 434) *Zygaena* (Agrumenia) *carniolica* (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30  
31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 435) *Zygaena* (Agrumenia) *olivieri* Boisduval,1828 (Zygaenidae) *olivieri* Boisduval,1828 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58  
60 62 65 66 73 76
- 436) *Zygaena* (Mesembrynus) *cambysea* Lederer,1870 (Zygaenidae) *cambysea* Lederer,1870 04 05 13 25 30 58 62 65 73
- 437) *Zygaena* (Mesembrynus) *cuvieri* Boisduval,1828 (Zygaenidae) *cuvieri* Boisduval,1828 04 13 29 30 36 44 49 65 66 69 73 76
- 438) *Zygaena* (Mesembrynus) *punctum* Ochsenheimer,1808 (Zygaenidae) *punctum* Ochsenheimer,1808 04 05 06 12 13 17 23 33 35 42  
44 45 49 57 58 60 66 76
- 439) *Zygaena* (Mesembrynus) *purpuralis* (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae*  
Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08  
13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 440) *Zygaena* (s.str.) *dorycnii* Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38  
42 43 49 53 57 61 62 69 75 76
- 441) *Zygaena* (s.str.) *loti* (Denis & Schiffermüller,1775) (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05  
06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76

**Contents / İçindekiler:** Kemal, M. & A.Ö.Koçak, Synonymical and distributional List of the species of Ağrı Province (North East Turkey) (Lepidoptera), p.1 -Editorial, p. 8.

## MISCELLANEOUS PAPERS

ISSN 1015-8235

**Miscellaneous Papers** is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



## Centre for Entomological Studies Ankara

( A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

**Owner / Sahibi - Editor / Yayıncı:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - [DSCS@york.biosis.org](mailto:DSCS@york.biosis.org)